

## UDS January – July 2025 Quality Update

Presentation to Governing Council

Toni Steres, DNP, APRN-FPA, FNP-C, AAHIVS Director, Provider Operations













## **Current Projects**

- Improved reporting to allow for lists of patients with future appointments.
- Staff are setting alerts for patients requiring a statin, antiplatelet, or HIV testing for teams to identify.
- Multiple projects on colon cancer screening will be presented in the September PIC meetings.
- Increase in Prenatal appointments
- Working with BH to add BMI plans and Tobacco Screening.



## UDS Quality of Care Measures Includes Data from January 1, 2025 - July 31, 2025

Indicator and Description	Performance Percentage (# of Patients in Numerator / # of Patients in Denominator)	Performance Graph	
BMI Screening and Follow-Up Percentage of patients 18 years of age and older with BMI documented and follow up plan documented i BMI is less than 18.5 kg/m^2 or greater than 25 kg/m^2	<b>89.6%</b> (9,892 / 11,036)	1st Quartile of 202 89.7 89.6%	
<b>Breast Cancer Screening</b> Percentage of female patients 52–74 years of age who had a mammogram to screen for breast cancel	<b>51.1%</b> (1,293 / 2,529)	57.0%	
Cervical Cancer Screening Percentage of female patients aged 21-64 who had cervical cytology performed within the last 3 years of women aged 30-64 who had cervical cytology/ HP\ co-testing performed within the last 5 years	07.570	66.3% 67.3% 43.9%	
<b>Childhood Immunization Status</b> Percentage of patients 2 years of age with all of their age-appropriate vaccines (4 DTaP, 3 IPV, 1 MMR, 3 HiB, 3 Hep B, 1 VZV, 4 PCV, 1 Hep A, 2 or 3 RV, and 2 Flu)	<b>43.9%</b> (229 / 522)		



		50.2%	<b>\</b>
<b>Colorectal Cancer Screening</b> Percentage of patients 46–75 years of age who had appropriate screening for colorectal cancer	<b>30.4%</b> (1,821 / 5,987)	30.4%	
<b>Dental Sealants for Children</b> Percentage of patients aged 6-9 years at moderate to high risk for caries who recieved a sealant on a first permanent molar	<b>93.3%</b> (111 / 119)		93.3%
<b>Depression Remission</b> Percentage of patients 12 years of age and older with major depression or dysthymia who reached remission 12 months (+/- 60 days) after an index event	<b>3.0%</b> (17 / 570)	3.0%	
<b>Depression Screening and Plan</b> Percentage of patients aged 12 years and older screened for depression using an age-appropriate screening tool and if positive, a follow-up is documented within two days of the positive screer	<b>86.2%</b> (11,207 / 12,997)		91.6%
Diabetes (Uncontrolled)* Percentage of patients 18–75 years of age with diabetes and their most recent hemoglobin A1c (HbA1c) of less than or equal to 9.0 percent during the measurement period	<b>65.3%</b> (1,880 / 2,879)		75.4% 65.3%



		69.9%
HIV Screening Percentage of patients 15-65 years of age who were tested for HIV	<b>75.0%</b> (8,084 / 10,777)	75.0%
Hypertension (Controlled) Percentage of patients 18–85 years of age who had a diagnosis of hypertension and whose blood pressure (BP) was adequately controlled (less than 140/90 mmHg) during the measurement period	<b>74.3%</b> (2,973 / 4,000)	71.8%
Ischemic Vascular Disease Medication Use Percentage of adult patients with IVD or an acute myocardial infarction, coronary artery bypass graft, or percutaneous coronary intervention in the previous year and used aspirin or an antiplatelet	<b>82.2%</b> (203 / 247)	82.2%
Low Birth Weights* Percentage of babies of health center prenatal care patients born whose birth weight was normal or above normal (equal to or greater than 2,500 grams).	<b>93.6%</b> (220 / 235)	91.3%



Prenatal Care Early Entry Percentage of prenatal patients with their first prenata visit during their first trimester	<b>69.7%</b> (362 / 519)	69.7%
Statin Therapy for Cardiovascular Disease Percentage of patients at high risk of cardiovascular events who were prescribed statin therapy	<b>84.8%</b> (2,479 / 2,923)	84.8%
<b>Tobacco Screening and Cessation</b> Percentage of patients aged 12 and older who were screened for tobacco use and who received cessatior counseling intervention if defined as a tobacco user	<b>90.6%</b> (10,510 / 11,606)	95.8%
Weight Counseling for Ages < 18 years Percentage of patients 3-17 years of age with a BMI percentile and counseling on nutrition and physical activity documented	<b>87.5%</b> (4,568 / 5,218)	87.9% 37.5%







3010 Grand Avenue, Waukegan, Illinois 60085 (847) 377-8000 health.lakecountyil.gov



HealthDepartment



@LakeCoHealth



HealthDepartment